

Narration	Time
.hæM p~ sg lkÁ7lÆControl Statements ~ Ruby	00:01
ÐZ t™wE lsfzjqë~ sg lkkl	00:06
if statement	00:08
elsif statement	00:09
else	00:11
case statements	00:12
ëVÆ	00:14
gzl 12.04y jgzUbuntu	00:15
• i g™wE l Ruby 1.9.3	00:18
.i ~gzçtf ð ð ð Úzk0Æ \ ðnÆKÃsg lkkl	00:21
.' etfI D» Text-editorÄ gzlTerminal0k&¾ Linux Ä \ M	00:24
., ™±5V, dz~g0nÆsg lk ~ Ä 7æz	00:30
.¶ð ~l }lettt ñ äëž, ™šc0 ñ Ðä™qÑ	00:34
.• DY6~l }lekl	00:38
ó control hyphen statements0ruby hyphen tutorialQgzl	00:41
.• (ÐM 0• ~g®~klë [l	00:47
:i @fbškl ø ð ð » if statement ~ Ruby	00:52
if "condition"	00:56
eÄ 'ruby	00:58
end	00:59
.• ÜšwVqz	01:01
.i Šc3~, g lkRuby C ñ Ñ%o0N ñ bÄ5qz ~ gedit	01:03
., Šxçif hyphen statement dot rb Ðz	01:08

.i wVwdq1Ä if statement <0} ÷	01:12
. • M™UNeÄ™uzg ~ yxgšÄbIkk0%ozD™ÄkL	01:15
.i HçEif statement q1~wVklä ~	01:19
.Vfêš=z2345 ÄkIgzVf@™çEemy_num yfGkÄBq1~0¬	01:23
.Vf@™çEif statement q1Q	01:31
.ç}™C a H#^ fWöi Š^ ; lfHçEputs ~ i HçEif	01:34
i ~{D0 =zÄ my_num HZÇ' YDZi HçEif	01:39
.ç}™_bstring mP {ztÄi (b	01:43
,™UNqzZNY6i R0[L	01:47
ruby space if hyphen statement dot rb	01:51
.çfC a H#^ fWThe value of my_num is greater than 0.	01:57
.i HyRTrueä xäE if ži @™U H#^ fWt	02:02
.Äeäf! tÄ™ i HçEif ~ Ruby \ M[L	02:07
. • ÜŠi HçEif-else D M[L	02:12
:i ø nÄä™WE lelse	02:16
if condition	02:18
eÄ ruby	02:19
else	02:20
eÄ ruby	02:21
end	02:22
. • ÜŠÄwVq1	02:24
.i ^ð3~ , gIkRuby C¬Ä%0N bÄ5q1~ gedit	02:26
., Šxçif hyphen else hyphen statement dot rb D L	02:30
.i wVwdq1Ä i HçEif-else <0} ÷	02:37

<code>• M™U^Ä™uzg ~ yxšÄbIk0%ozD™Äkz</code>	02:40
<code>.i H^ÄeiH^Äif-else q1~wVklzä ~</code>	02:44
<code>.Vfêš=z-1 ÄkzVf^Äemy_num y^ÄkzÄBq1~0↔</code>	02:48
<code>.Vf^Äei^Äif statement q1~Q</code>	02:55
<code>ç' Y Ä ~ (D0 x1=zÄ my_num 0iH^Äif</code>	02:58
<code>.ç}™^Ästring m^Ä{ztÄi (x1</code>	03:03
<code>çñY 6iH^Äelse Ä 7x1</code>	03:06
<code>.i m^ÄV;zžç}™^ÄÄ string kztgzl</code>	03:10
<code>• D™U^Äz0 • DY6i R0 [z</code>	03:13
ruby space if hyphen else hyphen statement dot rb.	03:18
<code>• Üš2 ^f Mjz</code>	03:26
<code>ç^Ä2 ^f MThe value of my_num is lesser than 0</code>	03:27
<code>.i ç^Äelse lf ^Y^Ä0t</code>	03:32
<code>.Äetfb. tÄ™iH^Äif-else ~Ruby \ M [z</code>	03:35
<code>• Üš^ÄiH^Äif-elsif D M [z</code>	03:41
<code>:i ø^ÄnÄä™WE lelsif</code>	03:45
eÄ ruby 0if condition	03:48
eÄ ruby 0elsif condition	03:50
eÄ ruby 0else	03:52
end	03:54
<code>• ÜšwVq1</code>	03:55
<code>.i C^Ä~, gIkRuby C-Ä%0N ~ bÄ5q1~gedit</code>	03:58
., šx ^Ä if hyphen elsif hyphen statement dot rb D [z	04:01
<code>.i wVwdq1Ä iH^Äif-elsif k0} ÷</code>	04:07

<code>• M™UNe™uzg ~ yxšÄbIk0%ozD™ÄkL</code>	04:10
<code>.i HçE® iHçE® if-elsif qL ~ wVklä ~</code>	04:14
<code>.Vfêš=z-1 ÄklzVfçE®emy_num ykzÄBqL ~ 0i VçE</code>	04:19
<code>.VfçE® if statement qL ~ Q</code>	04:25
<code>ç' YÄ ~ (D0 xL=zÄ my_num 0iHçE®if</code>	04:28
<code>.ç}™_bstring mP {ztÄi (xL</code>	04:32
<code>çñY~v elsif tÄ 7 True txL</code>	04:35
<code>.ç' YtÄi -1 =zÄ my_num xL [L</code>	04:39
<code>.i mP V;zç}™_b=zÄ string k tÄ True txL</code>	04:43
<code>çñY~v else tÄi 'LAE-1 „ :gzLi ~ (D0 Ä =zÄ my_num</code>	04:46
<code>.çñ(7D M~ Ušelse tÄi -1 =zÄ my_num èa</code>	04:54
<code>.çñYçE® iHçE® conditional tgzL</code>	05:00
<code>.,™UNgzLY6i R [L</code>	05:03
ruby space if hyphen elsif hyphen statement dot rb	05:07
<code>.B š iHçE® f MgzL</code>	05:15
<code>.çfçE® iHçE® fWThe value of my_num is -1 and is lesser than 0.</code>	05:17
<code>• s\$D5 Ä=zÄ my_num gzL • DY6bÄKl: lz</code>	05:23
<code>.,™^ YçE®6i Rj lgzL,™± ÄeÄ</code>	05:29
<code>.i ðf_687mP {zgzLi çE®lg7ÄxçE®if t [LÄ</code>	05:35
<code>.i ~ (D0 =zÄ my_num</code>	05:42
<code>• s\$D-5 Ä=zÄ my_num gzL • D M: lz6bÄKl</code>	05:45
<code>.,™^ YçE®6i Rj lgzL,™±ÄeÄ</code>	05:50
<code>.i çE®^ YçE® iHçE® lputs g0LAEUšelse gzLi çE®lg7ÄxçE®else t ~ R kL</code>	05:55
<code>.Äeäf! tAE™ iHçE® if-elsif ~ Ruby \ M [L</code>	06:03

• <code>case</code> statement	06:08
• <code>case</code> statement with <code>when</code> clauses	06:12
• <code>case</code> statement with <code>when</code> clauses and <code>else</code>	06:17
• <code>case</code> statement with <code>when</code> clauses and <code>else</code> (continued)	06:22
case variable	06:24
when value 1	06:26
ruby code	06:28
when value 2	06:29
ruby code	06:30
else	06:31
ruby code	06:32
end	06:34
• <code>case</code> statement with <code>when</code> clauses (continued)	06:35
• <code>case</code> statement with <code>when</code> clauses (continued)	06:37
• <code>case</code> statement with <code>when</code> clauses (continued)	06:41
• <code>case</code> statement with <code>when</code> clauses (continued)	06:44
• <code>case</code> statement with <code>when</code> clauses (continued)	06:48
• <code>case</code> statement with <code>when</code> clauses (continued)	06:52
• <code>case</code> statement with <code>when</code> clauses (continued)	06:55
• <code>case</code> statement with <code>when</code> clauses (continued)	07:01
• <code>case</code> statement with <code>when</code> clauses (continued)	07:09
• <code>case</code> statement with <code>when</code> clauses (continued)	07:15
• <code>case</code> statement with <code>when</code> clauses (continued)	07:18
• <code>case</code> statement with <code>when</code> clauses (continued)	07:22

. 7 cì bŞĀ=zĀ domain 087m° {zŏzi ! Yt	07:25
. 7 cì UP =zĀ domain ŏzi ! Yt0→	07:30
uš hg iHŏG» case gzZÇ} ™ 6Uttar Pradesh t0Āi (bĀ	07:34
. 7 cì MP =zĀ domain ži ! Yt0Āi 7 domain UP bĀ	07:39
.Ç- ,, , HŏgzZÇ} ™ 6Madhya Pradesh t0Āi (bĀ	07:44
.Çi g ! Y=zĀ domain tĀf 7t ~dĀUkgšbĀ	07:48
.f: True xĀĪ ŏĀĒ ~Ń!zqzŏÇ} ™ o, » iHŏG else t6z 7kZ	07:53
.i @w ĀEc æle else ŽÇ} ™ ^ YĀĀ ruby code t	07:59
.Ç} ™ 6Unknown t ~wV~gø	08:03
, ™UNgzl NY6i Rŏ, ™± [Z	08:07
ruby space case hyphen statement dot rb.	08:11
ÇfC a6i REnter the state you live in	08:18
.B Š2 ^f Mgzl Ő, ™UNUP	08:22
Uttar PradeshÇfC a2 ^f M	08:25
., ™ ^ Āh {g!šĀbĀRuby Ő,, bŞĀ→ Ő [Z	08:28
.B Š2 ^f MgzlKL , ™UNŏ iHŏG 6%ozkZ	08:31
.Ç} ™ 6kerala t	08:36
., ™ ^ YĀĀĀbĀŏg!qĀh×	08:38
.B Š2 ^f MgzlTN , ™UNŏ iHŏG 6%ozkZ	08:41
.Ç} ™ 6Unknown t	08:47
.i lf ^ YĀĀĀbĀŏg!qĀh× else 6ġi «ĀeZĀŏf 7t case Ī ŏĀĒYi n kĪt	08:50
.Āetf! †Ā™ case-statements C/~ Ruby \ M [Z	08:58
. • %ŏVbX! ĀEbġk kZë [Z	09:03
. • D™ž Ū» kZ	09:07

	äë~sglkkl	09:08
	if statement	09:10
	else construct	09:12
	gzlif-elsif	09:13
	5 TM WE l case statements	09:15
	:6gîÆ w	09:17
	, TM Ulxkz6Ruby	09:18
	ì Hãä TM 4ŠŠZ® ^a • qĀĵi-t	09:20
	, TM WE l control-statement £ oî y ^{FS} » 2 0 • cĴznÆi YQ	09:23
	"The number entered is a multiple of 2"Ç} TM Ĵ60Āi (kĀl	09:29
	.ì y ^{FS} » 3 tHžÇ' YĀ0 7kĀl	09:35
	"The number entered is a multiple of 3"Ç} TM Ĵ60Āi (kĀl	09:38
	.ì y ^{FS} » 4 tHžÇ' YĀ0 7kĀl	09:43
	"The number entered is a multiple of 4"Ç} TM Ĵ60Āi (kĀl	09:47
	"The number is not a multiple of 2, 3 or 4" ' e TM Ĵ6tĀ0 7kĀl	09:51
	.B Š-i z [œb,, sfzq	09:56
	.ì @Mž Ü»• z6sglkĀ7t	10:00
	.• MĀNŠÆ TM eByflej \ ĴbY:Bez Šh l	10:03
	:š• z6sglkĀ7l	10:07
	.ì C` \ xgzñfD TM WE l», g lkĀ7l	10:09
	.• i ŠvuĀVBz ä TM k0± í Ńy Mjz l	10:13
	.K 6contact@spoken-tutorial.org 0nÆ] âYh*	10:16
	.ì z »• Ĵă} l l u l s g lkĀ7l	10:21
	.ì {" e x D S ŠĀu i 0/pò) gfÆKİ ð ĀE ~ eg MŸL* ĀE# ÓCg , t	10:26

spoken hyphen tutorial dot org slash NMEICT hyphen] ä ÿ h × 6 u k l . i [ø ö Intro	10:32
Xt] å w c ä f i å Xi Å ä £ l s y z a ä ~ ~ È l o æ z Å F » 2 h k l	10:41