

Narration	Time
.hæM p~SgIkA76Ruby Methods	00.01
DZ ë~SgIkkl	00.05
? H method	00.07
gzl Ø nÆmethod	00.09
.DB ŠBW4ë	00.11
í HwE lRuby 1.9.3gzl12.04 yjgzUbuntu LinuxæëVCE	00.13
.í ~gzCtfD» Text editorgzlTerminal ~ Linux...nÆKÃSgIkkl	00.21
• D™qñB, AEs g-AEMethods [l	00.28
í êŠx•lx»m{ðÃží xlz6{eq method	00.31
í PM°»Dfunctions ~ Vâli a ñCf/ lžvš ÔRuby method	00.37
.' etfqñD{ Lg4method	00.42
.' et™äl, -Dä™W»A ylÃ Methods	00.45
• ÙšÅ Ø nÆmethod	00.49
.K xt» method ^ AEd ef egzlÅnÆä™s>Ýz a í ÅÆ Methods	00.52
.í @MÍ ?Åi=z^~\$nÆä™ællç6Methods Ôarguments	00.57
.í @MÍ ?Å' Jeá lžä™ællç6method ÔV ruby code	01.02
.í @YHµIDSSÅ end ÄDn gzls>Ýz kID6zÅ' JeÆmethod	01.09
í @B method B, AEs Ø 7glt	01.16
í Ø nÆmethod	01.19
argument listà {gzlx» method ^ AEd ef egzlÅ	01.23
.í @MÍ ?Å' JeÆmethod Z ÔV Ruby code	01.28
.í @M,, ØPÅx! IÆmethod Z endÄgzl	01.32
.í @B method» i+ 7gwt	01.36

	. , ™ U W E l» methodž• U š	01.39
.	.ì 1™ U l „ ¬ ~ñi lgedit xlž6q1ä ~	01.42
.	• s Å D l	01.46
	method hyphen without hyphen argument dot rb ì xt»bÄ~gøø, ŠzÄ	01.48
.	.ì H±~g® ruby program ÄbÄä ~	01.55
.	.D, ™[^ »hžAEk• žñfD™W E lmethodë~ xlž6kl	01.59
.	.B ŠbŠh Äxž6	02.03
.	.ì Hg®ea yFkþ %q1äëVCE	02.05
.	.H> Øh\$ Äk1Æ™gH5 =zÅk1äëgzl	02.08
.	ì @YHí à dollar sign (\$) ¬D øyFkþ %o	02.13
•	• M™Yqð, gì D } {z `Æx£Æc a®yUJø Fkþ %o l~ xlž6Ruby	02.17
.	.Hg®eadd method q%Æ øyFkþ %o gWäëVCE	02.25
.	• èÄä™4ð• ušDgi-ëVCE	02.31
.	.ç} ™4ð=zgi-	02.35
.	.ì @M™Yq2 yIDwä ~ õgÄ87 gets method	02.38
.	.ì ~gzCt™sp~ integer DlñfD™W E lto_i method...	02.44
.	.ì yFkžÄq1b xì Cf ~ b yFkQ=zðfà\$	02.50
.	.ì lf g®et ~ T lì [ø ~ methodklsl Ut	02.56
.	• D™i à i=zÅb yFkzgza yFkþ %ëVCE	03.01
.	.ì @Yf ~ sum yFk3 ^ AEkl	03.07
.	• D™-sum è[l	03.10
.	.ì @3i §»ä™4ðyFk ~ stringt	03.13
.	.ì @C ~ stringäÜgzl @fyR bŠÅ string Šñ» sum kl	03.18
.	.ì @M! ?Åx! lÆ method ðend	03.25

	. • method AEB S Z V C 03.28
	. i add method g o Z user-defined method 03.31
	i to_i method g z l gets l print Z Pre-defined method 03.35
	. • D T M W » A E G add ë V C 03.42
	. Q f — b 3 g z l ç ñ Y H c 6 M c i l 03.45
	, ™ A 6 Å Save [l] 03.50
	. i S c C — 6 Q f ± ~ g ® — ruby program x b 6 t 03.53
	, ™ ^ Y a l l 6 l 6 [l] 03.59
	. B Å terminal ™ I S À T g z l Alt l Ctrl B , q 04.02
	. i C M ñ &terminal b + h 04.07
	. i t Y ~ ruby program ~ I g l e - f ... l n A ä ™ ^ Y a l l 6 l 6 04.11
	. N I š — l g z l space Desktop/rubyprogram, ™ U N 04.16
ruby space method hyphen without hyphen argument dot rb ,	™ U N 04.26
	. N I š — l g z l
	. i @ C a Enter the second number 04.40
	. N I š — l g z l , ™ U N 4 . ç V z ™ — l = z 4 ~ 04.44
	sum of two numbers 5 & 4 is 9 i M 2 ^ f M .. 04.48
	. • Ü S w V q l Å method B , A rguments ë [l] 04.53
	. B Å E l . • ^ ™ U N — ñ j l gedit „ — A x b 6 k l ë 04.58
	. i method hyphen with hyphen argument dot rb 4 b ñ g z l 0 , š Å 05.03
	. i Å { ± ~ g ® — rubyprogram l b ñ ä ~ 05.10
	. • Ü S b sh l A x b 6 05.15
	. • Ø 7 g W E add() b , a i H ç g ® method ò t add() q ä ë V C 05.18
	. • C Y ~ h ž i = z Å b g z l a V C 05.26

.i @yR ~ ñfGw» Øhža sum gzl	05.29
.i @m i ?Åx! lE method lend	05.31
. • i gb7nÆ2yDgi-ëVCE	05.35
.C} ™ li=zÆb gzla Øgi-	05.38
.i NYÅ ! ~ b gzla ykLknl i=z	05.41
. • D™W» add methodëVCE	05.46
. • D™<06gîÃ b gzla Ø7gWé	05.49
.i @YH ! ~ c ³ » add method ^Æäfc6lci	05.52
.i ! ~ c Ž • D™<6SumëVCE	05.59
.NY6i R., ™^YdÅeAkz	06.03
.NIš`gzl, ™UN clear. , ™Äi R-Df	06.07
. • ~ rubyprogram ~I gle-f, „ -ë	06.14
.NIšglÅkzD\z nÆäY ~ &¾ë	06.17
method hyphen with Ä method hyphen without hyphen arguments dot rb	06.22
. , ™spB, AEhyphen arguments dot rb	
.NIš`gzl	06.32
.i @fC a Enter the values of a and b	06.35
.Cvz™4ð9 gzl8 ~	06.38
.NIš`gzl , ™UN8	06.41
.NIš`gzl , ™UN9	06.43
.i M2 ^fM..	06.46
Sum of two numbers 8 & 9 is 17.	06.47
.CvzC ☰ Sëlq1Å Ruby method ~ []	06.52
. • D M 76x16 ~ ñi lA	06.56

	. , TM á eÃ return egzÅ	06.59
	. , TM À6ÅSave [l	07.02
	. NY6I R . , TM ^ Y TM ÅeÃ	07.05
	. NIŠ ^ lgzNIŠÅkZD\z nÆäY ~ &¾ë	07.09
	. i @fC ^a "Enter the values of a and b"	07.14
	. ÇVz TM 4 ^{DS} 15 gzl10 ~	07.18
	. NIŠ ^ lgz , TM UN 15 0NIŠ ^ l , TM UN 10	07.21
	. i M2 ^ f M ..	07.27
	Sum of two numbers 10 & 15 is 25.	07.29
	. i lf ^ Y TM Ægk ^l É%xl ^b 60i ^ AEä TM á e return egzÅ• MNšë	07.33
	. i @ ^M return =zYq~ method D \ M l Ruby èYi nk ^l (07.40
	. i @f y TM return egzÅ~ method 0 ~ Ruby	07.46
	. • %o M~y MÆsglkA7lëB, AEkl	07.50
	. • D M l6ls\ M	07.53
	. • D TM Z Üe l	07.55
	... 5äë~sglkkl	07.57
	. ~ } g!ÆMethods	07.59
	Ø nÆMethods%AE l7gW	08.01
	. Methods B, AE Ø 7gWz	08.04
	. t TM return =zD method	08.06
	6g!Æw	08.08
	gzlñfD TM wE lmethod	08.10
	TM á 2yIDgi-	08.13
	K xl ^b 6q1nÆ [^ AEKgÆgÅa ^a]j	08.14

	.B Š-i z [ɒ̄b „ ſfzgq]	08.17
	.i @̄z Ü»• z̄sgIkĀ7l	08.20
	• MNŠAE™eßyflej l\ MY:BezŠh l	08.23
	:š• z̄sgIkĀ7l	08.28
	.i C` \ xgzñfD™wE l»SgIkĀ7l	08.30
	• i ŠaſAVBzä™kθ± i ñy Mz l	08.33
	.K Ä contact@spoken-tutorial.org ənÆ] àYh']	08.36
	.i z »• bå} l luM• z̄sgIkĀ7l	08.44
	.i {" e x D S S Å u i 0 l p o) gfÆK i ð M E ~ eg f C A E # Ó C g , t	08.49
	• [ɒ̄b „ b ſ] àYh' b u k l	08.55
	Xi Å ä f l s > Yz a ä ~ ~ È l o e g z l A F » 2 h l k l	09.00
	Xt] åWc äfi p	09.04